

Figure 1




Figure 2

FIG. 3 is a schematic diagram of an optical system 200, showing a light path through a coupler assembly, an interferometer assembly, and a detector assembly. The light path is indicated by a thick line. The coupler assembly includes a coupler 305 and a lens 302. The interferometer assembly includes a beam splitter 310, a mirror 313, and a lens 311. The detector assembly includes a detector 340 and a lens 341. The light path enters from the left, passes through the coupler assembly, then the interferometer assembly, and finally the detector assembly. The light path is labeled with various reference numerals: 111, 311, 362, 312, 363, 364, 310, 365, 324, 340, 375, 250, 112, 309, 115, 308, 305, 300, 360, 302, 306, 301, 307, 303, 361, 314, 368, 369, 374, 343, 373, 341, 110, 321, 370, 320, 366, 322, 325, INTERFEROMETER ASSEMBLY, 323, 41, 41.




Figure 3




Figure 4




Figure 5




Figure 6







Figure 7




PERSPECTIVE VIEW  
Figure 8a




FRONT VIEW  
Figure 8b




PERSPECTIVE VIEW  
Figure 9a




FRONT VIEW  
Figure 9b




PERSPECTIVE VIEW  
Figure 10a



FRONT VIEW  
Figure 10b



PERSPECTIVE VIEW  
Figure 11a



FRONT VIEW  
Figure 11b






Figure 12




Figure 13




Figure 14a




Figure 14b




Figure 15a




Figure 15b




Figure 15c




Figure 16




Figure 17




Figure 18